Altcoin-Bitcoin Arbitrage

Zura Kakushadze¹ and Willie Yu²

Abstract

We give an algorithm and source code for a cryptoasset statistical arbitrage alpha based on a mean-reversion effect driven by the leading momentum factor in cryptoasset returns discussed in <u>https://ssrn.com/abstract=3245641</u>. Using empirical data, we identify the cross-section of cryptoassets for which this altcoin-Bitcoin arbitrage alpha is significant and discuss it in the context of liquidity considerations as well as its implications for cryptoasset trading.

JEL classification numbers: G00, G10, G11, G12, G23

Keywords: cryptoasset, cryptocurrency, altcoin, Bitcoin, mean-reversion, momentum, statistical arbitrage

1 Introduction

There is a sizable proliferation of cryptoassets³, whose number as of January 18, 2019 was 2,116 (according to <u>https://coinmarketcap.com</u>). Just as with stocks (and other asset classes), there appear to be underlying common factors for cryptoasset returns, at least on shorter-horizons [Kakushadze, 2018]⁴. Thus, the leading common factor in the daily close-to-close cryptoasset returns is the prior day's momentum ("mom"), and on average the subsequent open-to-close return is negatively correlated with mom. So, there is a mean-reversion effect in daily cryptoasset returns. Can we utilize this mean-reversion effect to construct a trading signal (alpha)? The mean-reversion here is cross-sectional, so such an alpha would (ideally) involve a sizable cross-section of cryptoassets. In the case of stocks one can construct a dollar-neutral mean-reversion strategy by going long a sizable number of stocks with the investment level I_L and simultaneously shorting a sizable number of stocks with the investment level I_S , with $I_L = I_S$ (so we have dollar-neutrality), which is a

Article Info: Received: February 18, 2019. Published online: March 31, 2019.

¹ President of Quantigic Solutions LLC, USA and a Full Professor at Free University of Tbilisi.

² Research Fellow at Duke-NUS Medical School, Singapore.

³ For the purposes of this note, cryptoassets include digital cryptography-based assets such as cryptocurrencies (e.g., Bitcoin), as well various other digital "coins" and "tokens" (minable as well as non-minable), that have data on <u>https://coinmarketcap.com</u>.

⁴ [Kakushadze, 2018] extends short-horizon equity factors [Kakushadze, 2015] to cryptoassets.

standard long-short statistical arbitrage strategy. Alternatively, one can go long a sizable number of stocks with the investment level I_L and simultaneously short an index futures with the investment level I_S (again, $I_L = I_S$), e.g., S&P 500 futures, in which case we have a dollar-neutral so-called S&P 500 outperformance strategy. We can attempt to do something similar with cryptoassets. However, shorting a sizable number of cryptoassets is not practicable. We can short Bitcoin futures⁵ instead. The long position then can be in a sizable number of cryptoassets other than Bitcoin, i.e., altcoins. We then have a Bitcoin outperformance strategy, which we refer to as altcoin-Bitcoin arbitrage⁶. So, the idea is simple. We maintain a short Bitcoin position with the investment level I_S (so we do not trade Bitcoin). The long position consists of a cross-section of altcoins, which changes daily based on their mom values, so we either establish or liquidate long altcoin positions, but never short them. We discuss some simple trading rules for altcoin positions in Section 2. The next question is whether the alpha is "tradable". The main considerations are transaction costs and liquidity. In this note we focus on liquidity considerations. Does this alpha work across essentially all cryptoassets, or is its performance correlated with their liquidity? We address this question empirically in Section 3. We briefly conclude in Section 4. Appendix A gives R source code for building the portfolio and backtesting it'. Tables and figures summarize our backtesting results.

2 Alpha

2.1 Setup and Data

Cryptoassets trade continuously, $24/7^8$. Thus, "open" on any given day means the price right after midnight (UTC time), while "close" on any given day means the price right before midnight (UTC time), so the open on a given day is almost the same as the close of the previous day. All prices (open, close, high, low), volume and market cap are measured in dollars. The index i = 1, ..., N labels N different cryptoassets cross-sectionally, while the index s = 0, 1, 2, ... labels the dates, with s = 0 corresponding to the most recent date in the time series. So: P_{is}^C (or, equivalently, $P_{i,s}^C$) is the close price for the cryptoasset labeled by i on the day labeled by s; P_{is}^O is the open price; P_{is}^H is the high price; P_{is}^L is the

⁵ For a discussion on Bitcoin futures, see, e.g., [Hale et al, 2018].

⁶ For some cryptoasset investment and trading related literature, see, e.g., [Alessandretti et al, 2018], [Amjad and Shah, 2017], [Baek and Elbeck, 2014], [Bariviera et al, 2017], [Bouoiyour et al, 2016], [Bouri et al, 2017], [Brandvold et al, 2015], [Briere, Oosterlinck and Szafarz, 2015], [Cheah and Fry, 2015], [Cheung, Roca and Su, 2015], [Ciaian, Rajcaniova and Kancs, 2015], [Colianni, Rosales and Signorotti, 2015], [Donier and Bouchaud, 2015], [Dyhrberg, 2015], [Eisl, Gasser and Weinmayer, 2015], [ElBahrawy et al, 2017], [Gajardo, Kristjanpoller and Minutolo, 2018], [Garcia and Schweitzer, 2015], [Georgoula et al, 2015], [Harvey, 2016], [Jiang and Liang, 2017], [Kim et al, 2016], [Kristoufek, 2015], [Lee, Guo and Wang, 2018], [Li et al, 2018], [Liew and Hewlett, 2017], [Liew, Li and Budavari, 2018], [Nakano, Takahashi and Takahashi, 2018], [Ortisi, 2016], [Shah and Zhang, 2014], [Van Alstyne, 2014], [Vo and Yost-Bremm, 2018], [Wang and Vergne, 2017].

⁷ The source code given in Appendix A hereof is not written to be "fancy" or optimized for speed or in any other way. Its sole purpose is to illustrate the algorithms described in the main text in a simple-to-understand fashion. Some important legalese is relegated to Appendix B.

⁸ Assuming no special circumstances such as trading halts.

low price; V_{is} is the daily dollar volume; C_{is} is the market cap⁹. All our data was freely downloaded (see below).

We define daily open-to-close log-returns (or "continuously compounded" returns), which we use to define the mom factor as in [Kakushadze, 2018] (see below):

$$R_{is} = \ln \left(\frac{P_{is}^{C}}{P_{is}^{O}} \right) \tag{1}$$

For small values it is approximately the same as the standard ("single-period") return defined as

$$\tilde{R}_{is} = \frac{P_{is}^C}{P_{is}^O} - 1 \tag{2}$$

For computing portfolio P&L, return, Sharpe ratio [Sharpe, 1994], etc., we use \tilde{R}_{is} .

2.2 Momentum

There are various ways to define the momentum factor (mom). For our purposes here, we will define it as in [Kakushadze, 2018]:

$$\beta_{is}^{mom} = R_{i,s+1} \tag{3}$$

This definition is 100% out-of-sample: we use β_{is}^{mom} for trading on the date labeled by s, and β_{is}^{mom} is computed using quantities from the prior date labeled by s + 1.

2.3 Trading Signal

The trading signal (alpha) a_{is} for altcoins is defined as follows:

$$\alpha_{is} = \theta(-\beta_{is}^{mom}) \tag{4}$$

where the Heaviside function $\theta(x) = 1$ if x > 0, and $\theta(x) = 0$ if $x \le 0$. So, we establish a new long altcoin position, or maintain an existing long altcoin position, if mom is negative. If mom is nonnegative, then we do not establish a new altcoin position, and liquidate an existing long altcoin position. All altcoin positions are long or null. Meanwhile, we continuously maintain a constant short Bitcoin position¹⁰.

2.4 Altcoin Weights

Let us assume that the constant short Bitcoin position has the investment level I_S . Let the total investment level of our long altcoin position be I_L . To have a dollar-neutral portfolio, we must set $I_L = I_S$. Let H_{is} be the individual altcoin dollar holdings. Let us use the labels

⁹ High, low and volume are measured between the open and the close of a given day.

¹⁰ Technically, this should be short Bitcoin futures, but we assume a short Bitcoin position.

i = 2, ..., N for altcoins, while i = 1 will correspond to Bitcoin. We can define the altcoin weights as $w_{is} = \frac{H_{is}}{I_{I}}$. Then we have $(w_{is} \ge 0)$:

$$\sum_{i=2}^{N} w_{is} = 1 \tag{5}$$

The simplest choice for the weights is to have equal weights for all altcoins with nonzero signals:

$$w_{is} = \frac{1}{n_s} \alpha_{is} \tag{6}$$

$$n_s = \sum_{i=2}^{N} \alpha_{is} \tag{7}$$

Other weighting schemes are possible, e.g., by suppressing the weights by volatility:

$$w_{is} = \gamma_s \frac{\alpha_{is}}{\sigma_{is}} \tag{8}$$

$$w_{is} = \tilde{\gamma}_s \frac{\alpha_{is} |\beta_{is}^{mom}|}{\sigma_{is}^2} \tag{9}$$

Here σ_{is} is historical volatility (e.g., the standard deviation of the returns R_{it} computed over d previous days t = s + 1, ..., s + d, or the hlv factor defined in [Kakushadze, 2018], etc.), while the normalization coefficients γ_s and $\tilde{\gamma}_s$ are fixed via Eq. (5). In our backtests (see below) we focus on equally weighted portfolios (6).

3 Backtests

3.1 Estimation Period and Universe

We downloaded¹¹ the data from <u>https://coinmarketcap.com</u> for all 2,116 cryptoassets as of January 19, 2019 (so the most recent date in the data is January 18, 2019), and 2,115

¹¹ R source code for data downloads is given in Appendix A of [Kakushadze, 2018]. This code still works with two minor tweaks. First, the line u < -c(x[22:28]) in the function crypto.data() now reads u < -c(x[22:27]) due to a formatting change on

cryptoassets had downloadable data, albeit for many various fields were populated with "?", which we converted into NAs. In our backtests (see below), we only kept cryptoassets with non-NA price (open, close, high, low), volume and market cap data, with an additional filter that no null volume was allowed either¹².

Cboe Bitcoin Futures (symbol XBT)¹³ started trading on December 10, 2017. So, technically speaking, backtesting the strategy before that time might not be particularly meaningful¹⁴. Still, although we primarily focus on the 1-year backtest (looking back from January 18, 2019), for comparison and completeness purposes we also run 2-, 3-, 4- and 5-year lookback backtests. For the 1-year backtest we have 417 cryptoassets with historical data, while for the 2-, 3-, 4- and 5-year backtests we have 121, 67, 44 and 13 cryptoassets, respectively¹⁵. For the 1-year backtest we further break up the universe of the 416 altcoins (which together with Bitcoin make up the aforesaid 417 cryptoassets) into market cap tiers A,B,C,D,E,F. Thus, the alpha based on tier A on any given day goes long only the altcoins whose market cap on the previous day ranks 2 to 30 among all cryptoassets. Similarly, for tiers B,C,D,E,F the corresponding market cap rank ranges are: 31-60, 61-100, 101-200, 201-300, 301-417. In fact, based on our results (see below), running a backtest for the full universe of all 416 altcoins would obscure the liquidity effect (see below).

3.2 Results

For various universes mentioned above, Table 1 summarizes the market cap, the 20-day average daily volume, and the daily "turnover" defined as the market cap divided by the 20-day average daily volume. Table 2 and Figures 1-10 summarize the backtest results. These results suggest that the altcoin-Bitcoin arbitrage alpha is a low-liquidity effect. It simply is not there for higher liquidity altcoins. However, the alpha – which hinges on the mean-reversion effect based on the prior day's momentum (mom) – is real. Thus, if for the universe 1E (see Tables 1 and 2) we reverse the signal, we get ROC = -235.16% and Sharpe = -7.18, and if we go long all altcoins with equal weights in this universe (irrespective of mom)¹⁶, we get ROC = -26.56% and Sharpe = -1.34. Conversely, if we reverse the signal for, say, the universe 1A, we do not get a positive return. So, the altcoin-Bitcoin arbitrage alpha appears to be a real effect owing to low liquidity of the altcoins for which it is present. Put differently, the alpha exists as it cannot be arbitraged away.

<u>https://coinmarketcap.com</u>. Second, in the function crypto.hist.prc(), right after the line shared.write.table(x, file, T), one should now include the following (or similar) line: Sys.sleep(max(rnorm(1, 10, 2), 5)) (which spaces downloads at random intervals). This is due to the apparent change at <u>https://coinmarketcap.com</u>, which averts "rapid-fire" (i.e., continuous serial) downloads.

¹² This is to avoid stale prices. Further, 2 cryptoassets had apparently "artifact" stale prices during some periods, so they were also excluded from the corresponding backtests (see below).

¹³ Which is the actual investment vehicle we implicitly assume for our short Bitcoin position.

¹⁴ Especially considering the effect Bitcoin futures arguably had on Bitcoin (and other cryp-toassets) – see, e.g., [Hale et al, 2018]. For a nontechnical discussion, see, e.g., [Kelleher, 2018].

¹⁵ These counts include Bitcoin. Also, these counts exclude the aforesaid 2 cryptoassets with apparently "artifact" stale prices during some periods. Finally, in the 2-year and longer backtests the cryptoasset "Circuit of Value Coin" (symbol COVAL) is excluded as it had an extraordinarily large positive return in a short time period and including it would misleadingly "rosy-up" the results.

¹⁶ In this case we have a quasi-static (the altcoin universe can change with market cap fluctuations) dollar-neutral portfolio, which is obtained by setting $\alpha_{is} \equiv 1$ (i = 1, 2, ..., N) in Eq. (6).

4 Concluding Remarks

So, the altcoin-Bitcoin arbitrage alpha we discuss above is essentially is "a low liquidity premium" in altcoin returns. In practice, to arbitrage it, one must account for trading costs – both transaction costs and market impact. For low-liquidity altcoins the market impact can quickly become prohibitive when attempting to execute sizable trades. In fact, for the 2-year, 3-year, 4-year and 5-year lookbacks (where the number of altcoins with historical data is smaller) the naive pickup in the performance is due to the fact that most of the altcoins in these universes, even though they have been around for a while, are lower-cap, lower-liquidity cryptoassets (which is a telltale sign for persistence), with the notable exception of XRP (Ripple), which is what "Max" in the market cap corresponds to in Table 1 for these universes.

Can the altcoin-Bitcoin arbitrage alpha – or the momentum indicator on which it is based – be useful outside outright arbitraging it (which may be challenging due to the liquidity considerations)? Perhaps. In a sideways cryptoasset market, this indicator could be used as a guide for executing trades for lower-liquidity altcoins in other contexts. Thus, statistically, we expect that there is a mean-reversion effect, and if its yesterday's momentum is positive, today an altcoin (on average) is expected to trade lower, and if its vesterday's momentum is negative, today said altcoin (on average) is expected to trade higher. This can then conceivably be used as a "shorter-horizon" (daily) execution signal for longer-horizon trades. It should be mentioned, however, that the aforesaid alpha is a statistical effect, which is expected to work better for a sizable cross-section of altcoins, so using it as a "shorter-horizon" execution signal for such sizable cross-sections of altcoins would make more sense than for a single (or a few) altcoin(s). In this regard, let us mention [Liew, Li and Budavári, 2018], whose conclusion is that forecasting (using machine learning techniques) short-horizon single-cryptoasset returns (for the top 100 cryptoassets by market cap) appears to be challenging. This also bodes well with our findings here.

Appendix

A R Source Code: Trading Signal

In this appendix we give R (R Project for Statistical Computing, <u>https://www.r-project.org/</u>) source code for computing the altcoin-Bitcoin arbitrage trading signal. The sole function crypto.arb() reads the aggregated data files cr.prc.txt (close price), cr.open.txt (open price), cr.high.txt (high price), cr.low.txt (low price), cr.vol.txt (dollar volume), cr.cap.txt (market cap), cr.name.txt (names of the cryptoassets in the same order as all the other files), and cr.mnbl.txt (1 if the name is minable, otherwise 0) generated by the function crypto.prc.files() of [Kakushadze, 2018] (also, see fn.11 hereof). Internally, crypto.arb() computes the av (average volume), size (market cap), mom (momentum), hlv (intraday volatility) factors of [Kakushadze, 2018] and the trading signal based on mom (together with the trading universe based on size). The inputs of crypto.arb() are days (the length of the selection period used in fixing the cryptoasset universe by applying the aforesaid non-NA data and non-zero volume filters, which period is further "padded" – see below),

back (the length of the skip period, i.e., how many days to skip in the selection period before the lookback period)¹⁷, lookback (the length of the lookback period over which the backtest is run), d.r (the extra "padding" added to the selection period plus one day, so the moving averages can be computed out-of-sample; we take d.r = 20), d.v (the av moving average length; we take d.v = 20), d.i (the hlv moving average length; we take d.v = 20), d.i (the hlv moving average length; we take d.i = 20), ix.upper (the rank of the highest market cap (as of the previous day) altcoin to include in the trading universe), and ix.lower (the rank of the lowest market cap (as of the previous day) altcoin to include in the trading universe). The function crypto.arb() internally computes and plots/outputs the daily P&L and annualized ROC and Sharpe ratio.

```
crypto.arb <- function (days = 365, back = 0,
      lookback = days, d.r = 20, d.v = 20, d.i = 20,
      ix.lower = NA, ix.upper = 2)
{
      read.prc <- function(file, header = F,</pre>
            make.numeric = T)
      {
            x <- read.delim(file, header = header)</pre>
            x <- as.matrix(x)</pre>
            if(make.numeric)
                  mode(x) <- "numeric"</pre>
            return(x)
      }
      calc.mv.avg <- function(x, days, d.r)</pre>
      {
            if(d.r == 1)
                  return(x[, 1:days])
            y < - matrix(0, nrow(x), days)
            for(i in 1:days)
                  y[, i] <- rowMeans(x[, i:(i + d.r - 1)],</pre>
                         na.rm = T)
            return(y)
      }
      prc <- read.prc("cr.prc.txt")</pre>
      cap <- read.prc("cr.cap.txt")</pre>
      high <- read.prc("cr.high.txt")</pre>
      low <- read.prc("cr.low.txt")</pre>
      vol <- read.prc("cr.vol.txt")</pre>
      open <- read.prc("cr.open.txt")</pre>
      mnbl <- read.prc("cr.mnbl.txt")</pre>
      name <- read.prc("cr.name.txt", make.numeric = F)</pre>
```

¹⁷ In our backtests we always set back = 0. Also note that mnbl and av are not used internally.

```
d <- days + d.r + 1
prc <- prc[, 1:d]</pre>
cap <- cap[, 1:d]</pre>
high <- high[, 1:d]</pre>
low <- low[, 1:d]
vol <- vol[, 1:d]</pre>
open <- open[, 1:d]</pre>
take <- rowSums(is.na(prc)) == 0 &</pre>
      rowSums(is.na(cap)) == 0 &
      rowSums(is.na(high)) == 0 &
      rowSums(is.na(low)) == 0 &
      rowSums(is.na(vol)) == 0 &
      rowSums(is.na(open)) == 0 &
      rowSums(vol == 0) == 0
ret <- log(prc[take, -d] / prc[take, -1])</pre>
ret.d <- prc[take, -d] / prc[take, -1] - 1</pre>
prc <- prc[take, -1]</pre>
cap < - cap[take, -1]
high <- high[take, -1]</pre>
low <- low[take, -1]</pre>
vol <- vol[take, -1]</pre>
open <- open[take, -1]</pre>
mnbl <- mnbl[take, 1]</pre>
name <- name[take, 1]</pre>
if(back > 0)
{
      ret <- ret[, (back + 1):ncol(ret)]</pre>
      ret.d <- ret[, (back + 1):ncol(ret)]</pre>
      prc <- prc[, (back + 1):ncol(prc)]</pre>
      cap <- cap[, (back + 1):ncol(cap)]
      high <- high[, (back + 1):ncol(high)]</pre>
      low <- low[, (back + 1):ncol(low)]
      vol <- vol[, (back + 1):ncol(vol)]</pre>
      open <- open[, (back + 1):ncol(open)]</pre>
}
days <- lookback
av <- log(calc.mv.avg(vol, days, d.v))</pre>
hlv <- (high - low)^2 / prc^2
hlv <- 0.5 * log(calc.mv.avg(hlv, days, d.i))</pre>
take <- rowSums(!is.finite(hlv)) == 0</pre>
      ### removes stale prices
av <- av[take, ]</pre>
```

```
hlv <- hlv[take, ]</pre>
mom <- log(prc[take, 1:days] / prc[take, 1:days + 1])</pre>
size <- log(cap)[take, 1:days]</pre>
ret <- ret[take, 1:days]</pre>
ret.d <- ret.d[take, 1:days]</pre>
mnbl <- mnbl[take]</pre>
name <- name[take]</pre>
pnl <- rep(0, days)
for(i in days:1)
{
      x < - -sign(mom[, i])
      ### x[] <- 1 ### no signal
      ### x <- -x ### reverse signal
      sort.size <- sort(size[, i], decreasing = T)</pre>
      if(is.na(ix.lower))
            ix.lower <- length(sort.size)</pre>
      take <- size[, i] >= sort.size[ix.lower] &
            size[, i] <= sort.size[ix.upper]</pre>
                  ### cap tier based universe
      x[!take] <- 0
      x[1] <- 0
      if(days > 365)
            x[name == "Circuits of V..." ] <- 0</pre>
                  ### removes COVAL
      x[x < 0] < - 0
      ### ss <- exp(hlv[, i]) ### hlv-based volatility</pre>
      ### ss can be computed e.g. as 20-day historical
            ### return volatility
      ### x <- x / ss ### volatility-suppressed signal</pre>
      ### x <- x * abs(mom[, i]) / ss^2 ### alternative</pre>
            ### volatility-suppressed signal
      x < -x / sum(abs(x))
      x <- x * ret.d[, i]
      x \leq sum(x) - ret.d[1, i]
      if(!is.finite(x))
           x <- 0
      pnl[i] <- x
}
pnl1 <- pnl
pnl <- pnl[days:1]</pre>
pnl <- cumsum(pnl)</pre>
plot(1:days, pnl, type = "l",
      col = "green", xlab = "days", ylab = "P&L")
```

```
roc <- round(mean(pnl1) * 365 / 2 * 100, 2)
    ### annualized return-on-capital
sr <- round(mean(pnl1) / sd(pnl1) * sqrt(365), 2)
    ### annualized Sharpe ratio
print(roc)
print(sr)</pre>
```

B DISCLAIMERS

Wherever the context so requires, the masculine gender includes the feminine and/or neuter, and the singular form includes the plural and vice versa. The author of this paper ("Author") and his Affiliates including without limitation Quantigic Solutions LLC ("Author's Affiliates" or "his Affiliates") make no implied or express warranties or any other representations whatsoever, including without limitation implied warranties of merchantability and fitness for a particular purpose, in connection with or with regard to the content of this paper including without limitation any code or algorithms contained herein ("Content").

The reader may use the Content solely at his/her/its own risk and the reader shall have no claims whatsoever against the Author or his Affiliates and the Author and his Affiliates shall have no liability whatsoever to the reader or any third party whatsoever for any loss, expense, opportunity cost, damages or any other adverse effects whatsoever relating to or arising from the use of the Content by the reader including without any limitation whatsoever: any direct, indirect, incidental, special, consequential or any other damages incurred by the reader, however caused and under any theory of liability; any loss of prot (whether incurred directly or indirectly), any loss of goodwill or reputation, any loss of data suffered, cost of procurement of substitute goods or services, or any other tangible or intangible loss; any reliance placed by the reader on the completeness, accuracy or existence of the Content or any other effect of using the Content; and any and all other adversities or negative effects the reader might encounter in using the Content irrespective of whether the Author or his Affiliates is or are or should have been aware of such adversities or negative effects.

The R code included in Appendix A hereof is part of the copyrighted R code of Quantigic Solutions LLC and is provided herein with the express permission of Quantigic Solutions LLC. The copyright owner retains all rights, title and interest in and to its copyrighted source code included in Appendix A hereof and any and all copyrights therefor.

References

- Alessandretti, L., ElBahrawy, A., Aiello, L.M. and Baronchelli, A. (2018) Machine Learning the Cryptocurrency Market. Working Paper. Available online: <u>https://arxiv.org/pdf/1805.08550.pdf</u>.
- Amjad, M.J. and Shah, D. (2017) Trading Bitcoin and Online Time Series Prediction. Working Paper. Available online: <u>http://proceedings.mlr.press/v55/amjad16.pdf</u>.
- Baek, C. and Elbeck, M. (2014) Bitcoins as an Investment or Speculative Vehicle? A First

}

Look. Applied Economics Letters 22(1): 30-34.

- Bariviera, A.F., Basgall, M.J., Hasperué, W. and Naiouf, M. (2017) Some stylized facts of the Bitcoin market. Physica A: Statistical Mechanics and its Applications 484: 82-90.
- Bouoiyour, J., Selmi, R., Tiwari, A.K. and Olayeni, O.R. (2016) What drives Bitcoin price? Economics Bulletin 36(2): 843-850.
- Bouri, E., Molnár, P., Azzi, G., Roubaud, D. and Hagfors, L.I. (2017) On the hedge and safe haven properties of Bitcoin: Is it really more than a diversifier? Finance Research Letters 20: 192-198.
- Brandvold, M., Molnár, P., Vagstad, K. and Valstad, O.C.A. (2015) Price discovery on Bitcoin exchanges. Journal of International Financial Markets, Institutions and Money 36: 18-35.
- Briere, M., Oosterlinck, K. and Szafarz, A. (2015) Virtual currency, tangible return: Portfolio diversification with bitcoin. Journal of Asset Management 16(6): 365-373.
- Cheah, E.T. and Fry, J. (2015) Speculative Bubbles in Bitcoin markets? An Empirical Investigation into the Fundamental Value of Bitcoin. Economics Letters 130: 32-36.
- Cheung, A., Roca, E. and Su, J.-J. (2015) Crypto-currency Bubbles: an Application of the Phillips-Shi-Yu (2013) Methodology on Mt. Gox Bitcoin Prices. Applied Economics 47(23): 2348-2358.
- Ciaian, P., Rajcaniova, M. and Kancs, D. (2015) The economics of BitCoin price formation. Applied Economics 48(19): 1799-1815.
- Colianni, S., Rosales, S. and Signorotti, M. (2015) Algorithmic Trading of Cryptocurrency Based on Twitter Sentiment Analysis. Working Paper. Available online: http://cs229.stanford.edu/proj2015/029 report.pdf.
- Donier, J. and Bouchaud, J.-P. (2015) Why Do Markets Crash? Bitcoin Data Offers Unprecedented Insights. PLoS ONE 10(10): e0139356.
- Dyhrberg, A.H. (2015) Bitcoin, gold and the dollar a GARCH volatility analysis. Finance Research Letters 16: 85-92.
- Eisl, A., Gasser, S. and Weinmayer, K. (2015) Caveat Emptor: Does Bitcoin Improve Portfolio Diversification? Working Paper. Available online: <u>https://ssrn.com/abstract=2408997</u>.
- ElBahrawy, A., Alessandretti, L., Kandler, A., Pastor-Satorras, R. and Baronchelli, A. (2017) Evolutionary dynamics of the cryptocurrency market. Royal Society Open Science 4(11): 170623.
- Gajardo, G., Kristjanpoller, W.D. and Minutolo, M. (2018) Does Bitcoin exhibit the same asymmetric multifractal cross-correlations with crude oil, gold and DJIA as the Euro, Great British Pound and Yen? Chaos, Solitons & Fractals 109: 195-205.
- Garcia, D. and Schweitzer, F. (2015) Social signals and algorithmic trading of Bitcoin. Royal Society Open Science 2(9): 150288.
- Georgoula, I., Pournarakis, D., Bilanakos, C., Sotiropoulos, D. and Giaglis, G.M. (2015) Using Time-Series and Sentiment Analysis to Detect the Determinants of Bitcoin Prices. Working Paper. Available online: <u>https://ssrn.com/abstract=2607167</u>.
- Hale, G., Krishnamurthy, A., Kudlyak, M. and Shultz, P. (2018) How Futures Trading Changed Bitcoin Prices. Federal Reserve Bank of San Francisco, Economic Letter, No. 2018-12. Available online:

https://www.frbsf.org/economic-research/files/el2018-12.pdf.

Harvey, C.R. (2016) Cryptofinance. Working Paper. Available online: <u>https://ssrn.com/abstract=2438299</u>.

Jiang, Z. and Liang, J. (2017) Cryptocurrency Portfolio Management with Deep

Reinforcement Learning. Working Paper. Available online: https://arxiv.org/pdf/1612.01277.pdf.

- Kakushadze, Z. (2015) 4-Factor Model for Overnight Returns. Wilmott Magazine 2015(79): 56-62. Available online: <u>https://ssrn.com/abstract=2511874</u>.
- Kakushadze, Z. (2018) Cryptoasset Factor Models. Algorithmic Finance (forthcoming). Available online: <u>https://ssrn.com/abstract=3245641</u>.
- Kelleher, K. (2018) Bitcoin Futures Killed the Bitcoin Rally (and Will Keep It from Returning), Economists Say. Fortune (July 2, 2018). Available online: <u>http://fortune.com/2018/07/02/bitcoin-futures-killed-bitcoin-rally-will-keep-comingback-economists/</u>.
- Kim, Y.B., Kim, J.G., Kim, W., Im, J.H., Kim, T.H., Kang, S.J. and Kim, C.H. (2016) Predicting Fluctuations in Cryptocurrency Transactions Based on User Comments and Replies. PLoS ONE 11(8): e0161197.
- Kristoufek, L. (2015) What Are the Main Drivers of the Bitcoin Price? Evidence from Wavelet Coherence Analysis. PLoS ONE 10(4): e0123923.
- Lee, D.K.C., Guo, L. and Wang, Y. (2018) Cryptocurrency: A New Investment Opportunity? Journal of Alternative Investments 20(3): 16-40.
- Li, T.R., Chamrajnagar, A.S., Fong, X.R., Rizik, N.R. and Fu, F. (2018) Sentiment-Based Prediction of Alternative Cryptocurrency Price Fluctuations Using Gradient Boosting Tree Model. Working Paper. Available online: <u>https://arxiv.org/pdf/1805.00558.pdf</u>.
- Liew, J.K.-S. and Hewlett, L. (2018) The Case for Bitcoin for Institutional Investors: Bubble Investing or Fundamentally Sound? Working Paper. Available online: <u>https://ssrn.com/abstract=3082808</u>.
- Liew, J.K.-S., Li, R.Z. and Budavári, T. (2018) Crypto-Currency Investing Examined. Working Paper. Available online: <u>https://ssrn.com/abstract=3157926</u>.
- Nakano, M., Takahashi, A. and Takahashi, S. (2018) Bitcoin Technical Trading With Artificial Neural Network. Working Paper. Available online: https://ssrn.com/abstract=3128726.
- Ortisi, M. (2016) Bitcoin Market Volatility Analysis Using Grand Canonical Minority Game. Ledger 1: 111-118.
- Shah, D. and Zhang, K. (2014) Bayesian regression and Bitcoin. Working Paper. Available online: <u>https://arxiv.org/pdf/1410.1231.pdf</u>.
- Sharpe, W.F. (1994) The Sharpe Ratio. Journal of Portfolio Management 21(1): 49-58.
- Van Alstyne, M. (2014) Why Bitcoin has value. Communications of the ACM 57(5): 30-32.
- Vo, A. and Yost-Bremm, C. (2018) A High-Frequency Algorithmic Trading Strategy for Cryptocurrency. Journal of Computer Information Systems (forthcoming). DOI: <u>https://doi.org/10.1080/08874417.2018.1552090</u>.
- Wang, S. and Vergne, J.-P. (2017) Buzz factor or innovation potential: What explains cryptocurrencies returns? PLoS ONE 12(1): e0169556

Table 1: Summaries for market cap (Cap), 20-day average daily volume (ADV), and "turnover" (Tvr) defined as Cap divided by ADV. All quantities are as of January 18, 2019. The suffix in the first column is the number of lookback years (and the Cap tier for the 1-year lookback – see Subsection 3.1). Qu = quartile. See Table 2 for the numbers of altcoins in each trading universe. The 1A quantities include Bitcoin (along with 29 altcoins).

Quantity	Min	1st Qu	Median	Mean	3rd Qu	Max
Cap.1A	1.19e+08	1.85e+08	5.13e+08	3.71e+09	1.86e+09	6.43e+10
ADV.1A	1.35e+06	9.90e+06	3.56e+07	5.03e+08	2.05e+08	5.18e+09
Tvr.1A	8.48e-03	2.92e-02	5.97e-02	1.93e-01	2.08e-01	1.93e+00
Cap.1B	3.75e+07	4.45e+07	5.77e+07	6.94e+07	9.85e+07	1.16e+08
ADV.1B	4.04e+04	6.59e+05	1.91e+06	3.76e+06	3.57e+06	2.08e+07
Tvr.1B	9.94e-04	9.90e-03	3.02e-02	5.15e-02	5.23e-02	3.01e-01
Cap.1C	1.66e+07	2.00e+07	2.42e+07	2.50e+07	2.81e+07	3.71e+07
ADV.1C	1.29e+03	3.22e+05	5.23e+05	1.90e+06	1.34e+06	1.75e+07
Tvr.1C	7.78e-05	1.20e-02	2.30e-02	6.80e-02	6.19e-02	5.85e-01
Cap.1D	4.38e+06	5.98e+06	7.62e+06	8.72e+06	1.10e+07	1.63e+07
ADV.1D	3.67e+02	4.10e+04	1.79e+05	7.94e+05	5.29e+05	3.14e+07
Tvr.1D	5.40e-05	6.03e-03	2.40e-02	1.12e-01	6.38e-02	4.83e+00
Cap.1E	1.02e+06	1.43e+06	2.20e+06	2.34e+06	2.96e+06	4.37e+06
ADV.1E	4.00e+02	3.60e+03	1.16e+04	1.14e+05	4.56e+04	3.04e+06
Tvr.1E	1.45e-04	2.00e-03	5.49e-03	4.56e-02	2.48e-02	1.02e+00
Cap.1F	8.82e+03	1.60e+05	4.22e+05	4.37e+05	7.15e+05	1.02e+06
ADV.1F	1.10e+01	4.97e+02	1.47e+03	4.50e+04	8.13e+03	3.54e+06
Tvr.1F	1.38e-04	1.87e-03	5.28e-03	1.09e-01	2.18e-02	9.38e+00
Cap.2	2.44e+04	1.09e+06	4.70e+06	3.00e+08	2.49e+07	1.35e+10
ADV.2	7.70e+01	4.30e+03	2.72e+04	3.75e+07	3.98e+05	2.75e+09
Tvr.2	7.78e-05	2.34e-03	8.75e-03	3.24e-02	2.35e-02	5.03e-01
Cap.3	6.70e+04	1.24e+06	5.07e+06	5.05e+08	2.21e+07	1.35e+10
ADV.3	8.30e+01	7.06e+03	3.64e+04	6.14e+07	2.37e+05	2.75e+09
Tvr.3	7.64e-04	2.33e-03	8.32e-03	2.67e-02	2.36e-02	2.75e-01
Cap.4	6.70e+04	2.34e+06	8.30e+06	4.60e+08	3.62e+07	1.35e+10
ADV.4	8.30e+01	8.88e+03	7.95e+04	2.99e+07	3.85e+05	5.27e+08
Tvr.4	7.64e-04	2.25e-03	9.47e-03	2.72e-02	2.32e-02	2.75e-01
Cap.5	1.31e+06	4.57e+06	1.27e+07	1.31e+09	8.23e+07	1.35e+10
ADV.5	3.07e+03	1.88e+04	6.18e+04	8.67e+07	4.53e+06	5.27e+08
Tvr.5	1.05e-03	2.33e-03	9.12e-03	3.64e-02	1.86e-02	2.75e-01

Table 2: Backtest results. Lookback is the number of years (and the Cap tier for the 1-year lookback – see Subsection 3.1). The second column labeled "rank" determines which altcoins are allowed to be included in the long portfolio on a given day: "rank" refers to the range of the rank of the market cap on the previous day among all cryptoassets (with a few cryptoassets excluded as set forth in fn.15 hereof). ROC = annualized return-on-capital (which is given by $365 \times P/(I_L + I_S)$, where P is the average daily P&L, I_L and I_S are the total long and short investment levels, and $I_L = I_S$ for dollar-neutrality). Sharpe = annualized Sharpe ratio (which is given by $\sqrt{365} \times P/S$, where S is the standard deviation of daily P&Ls).

Lookback	rank	ROC(%)	Sharpe
1A	2-30	-44.25	-1.81
1B	31-60	-59.29	-1.99
1C	61-100	-24.78	-0.83
1D	101-200	11.26	0.43
1E	201-300	124.43	4.93
1F	301-417	459.08	14.65
2	2-121	174.7	4.2
3	2-67	222.75	4.06
4	2-44	191.43	4.34
5	2-13	62.27	1.28




Figure 1: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1A portfolio (see Table 2).




Figure 2: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1B portfolio (see Table 2).




Figure 3: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1C portfolio (see Table 2).




Figure 4: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1D portfolio (see Table 2).




Figure 5: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1E portfolio (see Table 2).




Figure 6: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 1F portfolio (see Table 2).




Figure 7: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 2 portfolio (see Table 2).




Figure 8: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 3 portfolio (see Table 2).




Figure 9: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 4 portfolio (see Table 2).




Figure 10: P&L (in the units where the short Bitcoin position is normalized to 1) for the lookback 5 portfolio (see Table 2).